ELSEVIER

Journal of Organometallic Chemistry 496 (1995) C9

Journal of Organometallic Chemistry

Author Index of Volume 496

Ahlgrèn, M., 93
Alvarez-Toledano, C., 153
Annunziata, R., C1

Bardají, M., 245
Batheja, R., 99
Baukov, Y.I., 103
Behrens, U., 49
Bernès, S., 153
Bildstein, B., 175
Bordoni, S., 27
Böttcher, C., 43
Bouancheau, C., 127
Brusova, G.P., 227
Busetto, L., 27

Calderoni, F., 27
Cano, A.C., 153
Carlucci, L., 27
Carmalt, C.J., 59
Cassetta, A., 69
Cenini, S., C1
Chelain, E., 127
Cho, C.S., 221
Cingolani, A., 69
Colapietro, M., 69
Coolen, H.K.A.C., 159
Cowley, A.H., 59

Daran, J.-C., 127
Decken, A., 59
Demartin, F., C1
Denifl, P., 175
Dhingra, S.K., 99
Doak, G.O., 1, 137

Freedman, L.D., 1, 137

Galakhov, M., 217

Heinemann, A., 207
Hernández-Ortega, S., 169
Hidai, M., 109
Huang, X., 37

Jenneskens, L.W., 117

Kakkonen, H.J., 93
Klinkhammer, K.W., 241
Kociok-Köhn, G., 233
Kong, D., 37
Kramarova, E.P., 103
Kühner, S., 241
Kuzmina, L.G., 187, 227

Laguna, A., 245
Laguna, M., 245
Laschi, F., 27
Lauteslager, X.Y., 117
Lemenovskii, D.A., 187, 227
Lezama, M.R., 169
Lorenz, I.-P., 191
Lorenzotti, A., 69

Martín, A., 217
Meister, G., 197
Mellado, O.G., 153
Mena, M., 217
Michalska, Z.M., 19
Mizobe, Y., 109
Molander, G.A., 233
Motoyama, I., 87

Negrebetsky, V.V., 103, 103
Nikonov, G.I., 187, 227
Nolte, R.J.M., 159
Norman, N.C., 59

Ohe, T., 221
Ostaszewski, B., 19

Pakkanen, T.A., 93
Palmisano, G., C1
Pettinari, C., 69
Pursiainen, J., 93
Putala, M., 227

Regelmann, B., 241
Rehder, D., 43
Rheinwald, G., 197
Rivarola, E., 69
Rodewald, D., 43
Rosenthal, E.C.E., 233
Rudler, H., 127, 153
Rudler, M., 127

Sano, H., 87
Schittenhelm, N., 49
Schmidt, G., 49
Schumann, H., C5, 233
Schwab, P., 207
Sclavi, G., 69
Shimoi, M., 87
Shipov, A.G., 103
Silvestru, C., 169
Singh, A.K., 99
Stankoviè, E., 227
Steinert, P., 207
Stoeckli-Evans, H., 197
Strzelec, K., 19
Sühring, K., C5
Süss-Fink, G., 197

Takahashi, A., 109
Takayama, T., 87
Tanase, T., 109
Thurow, K., 191
Toledano, C.A., 169
Tollari, S., C1
Toscano, R.A., 153
Tunkkari, L., 93

Uemura, S., 221

Vaissermann, J., 127
Van Leeuwen, P.W.N.M., 159
Van Wageningen, A.M.A., 117
Van Walree, C.A., 117

Wang, S., 37
Watanabe, M., 87
Weidlein, J., 241
Weimann, R., C5
Werner, H., 207
Winterfeld, J., 233
Wurst, K., 175

Ye, Z., 37
Yélamos, C., 217

Zanello, P., 27
Zanotti, V., 27
Zúñiga-Villarreal, N., 169
Zwikker, J.W., 117

ELSEVIER

Journal of Organometallic Chemistry 496 (1995) C11–C16

Journal of Organometallic Chemistry

Subject Index of Volume 496

Alkyl
Syntheses and characterization of diruthenium(III) alkyl–alkyl and alkyl–alkynyl complexes with two bridging thiolate ligands $[Cp^*RuR(\mu\text{-}SPr^i)_2RuCp^*R']$ ($Cp^* = \eta^5\text{-}C_5Me_5$). X-ray structure of $[Cp^*Ru(CH_2CH_2Ph)(\mu\text{-}SPr^i)_2RuCp^*(CH_2CH_2Ph)]$ (A. Takahashi, Y. Mizobe, T. Tanase and M. Hidai), 109

Alkyne
Bis(triisopropylarsan)- und Bis(triisopropylstiban)-Rhodium(I)-Komplexe mit Isonitrilen, Olefinen, Alkinen und Diinen als Liganden (H. Werner, P. Schwab, A. Heinemann und P. Steinert), 207

Metallorganische Verbindungen des Kupfers. VIII. Untersuchungen über die Koordinationschemie von heteroatomverbrückten Bisalkinen am Beispiel von Kupfer(I)-halogenid- und -trifluormethylsulfonat-Komplexen (G. Schmidt, N. Schittenhelm und U. Behrens), 49

Alkynes, Nitrogen ylide complexes
Reaction of aminocarbene complexes of chromium with alkynes. IV. New transformations of the nitrogen ylide complexes derived therefrom (C. Bouancheau, M. Rudler, E. Chelain, H. Rudler, J. Vaissermann and J.-C. Daran), 127

Amides
Organometallic compounds of the lanthanides. XCVII. Synthesis and crystal structures of monomeric bis(ethyltetramethylcyclopentadienyl) amide and alkyl derivatives of the lanthanides (H. Schumann, E.C.E. Rosenthal, G. Kociok-Köhn, G.A. Molander and J. Winterfeld), 233

Aminocarbene complexes
Reaction of aminocarbene complexes of chromium with alkynes. IV. New transformations of the nitrogen ylide complexes derived therefrom (C. Bouancheau, M. Rudler, E. Chelain, H. Rudler, J. Vaissermann and J.-C. Daran), 127

Antimony
Antimony: annual survey covering the year 1993 (L.D. Freedman and G.O. Doak), 137

Aryl
Structural studies on aryl bismuth halides and halogenoanions. Part 4. Neutral Lewis base adducts of aryl bismuth dibromide and diaryl bismuth bromide compounds (C.J. Carmalt, A.H. Cowley, A. Decken and N.C. Norman), 59

Bismuth
Bismuth: annual survey covering the year 1993 (G.O. Doak and L.D. Freedman), 1

Structural studies on aryl bismuth halides and halogenoanions. Part 4. Neutral Lewis base adducts of aryl bismuth dibromide and diaryl bismuth bromide compounds (C.J. Carmalt, A.H. Cowley, A. Decken and N.C. Norman), 59

Boron
Palladium(0)-catalyzed carbonylation of aryl and alkenyl boronic acids with carbon monoxide leading to esters and ketones. Transformation of a C–B bond to a C–CO bond (C.S. Cho, T. Ohe and S. Uemura), 221

Bulky ligands
Hochsubstituierte Decabenzylmetallocene: Synthese und Strukturaufklärung von Deca(4-acetylbenzyl)ferrocen $Fe[C_5(CH_2C_6H_4\text{-}C(O)CH_3)_5]_2$ (H. Schumann, K. Sühring und R. Weimann), C5

Carbonyl
Reaction of $[H_2Ru_3Rh(CO)_{12}]^-$ cluster anion with $AuPPh_3Cl$ and structural characterization of $AuHRh_2Ru_3(CO)_{13}(PPh_3)_2$ by X-ray diffraction and ^{31}P and ^1H NMR spectroscopy (H.J. Kakkonen, L. Tunkkari, M. Ahlgrèn, J. Pursiainen and T.A. Pakkanen), 93

Carbonylation
Palladium(0)-catalyzed carbonylation of aryl and alkenyl boronic acids with carbon monoxide leading to esters and ketones. Transformation of a C–B bond to a C–CO bond (C.S. Cho, T. Ohe and S. Uemura), 221

Catalysis
Selective addition of hydrosilanes to 1,3-dienes catalyzed by polyamide-supported metal complex catalysts (Z.M. Michalska, B. Ostaszewski and K. Strzelec), 19

Chromium
Reaction of aminocarbene complexes of chromium with alkynes. IV. New transformations of the nitrogen ylide complexes derived therefrom (C. Bouancheau, M. Rudler, E. Chelain, H. Rudler, J. Vaissermann and J.-C. Daran), 127

Cluster
Reaction of $[H_2Ru_3Rh(CO)_{12}]^-$ cluster anion with $AuPPh_3Cl$ and structural characterization of $AuHRh_2Ru_3(CO)_{13}(PPh_3)_2$ by X-ray diffraction and ^{31}P and ^1H NMR spectroscopy (H.J. Kakkonen, L. Tunkkari, M. Ahlgrèn, J. Pursiainen and T.A. Pakkanen), 93

^{13}C NMR
Transmission of electronic effects via a $SiMe_2$ spacer in 4-mono- and 4,4′-disubstituted diphenyldimethylsilanes: ^{29}Si and ^{13}C NMR spectroscopy and PM3 semi-empirical calculations (C.A. Van Walree, X.Y. Lauteslager, A.M.A. Van Wageningen, J.W. Zwikker and L.W. Jenneskens), 117

Complexes
Metallorganische Verbindungen des Kupfers. VIII. Untersuchungen über die Koordinationschemie von heteroatomverbrückten Bisalkinen am Beispiel von Kupfer(I)-halogenid- und -trifluormethylsulfonat-Komplexen (G. Schmidt, N. Schittenhelm und U. Behrens), 49

Structural studies on aryl bismuth halides and halogenoanions. Part 4. Neutral Lewis base adducts of aryl bismuth dibromide and diaryl bismuth bromide compounds (C.J. Carmalt, A.H. Cowley, A. Decken and N.C. Norman), 59

Copper
Metallorganische Verbindungen des Kupfers. VIII. Untersuchungen über die Koordinationschemie von heteroatomverbrückten Bisalkinen am Beispiel von Kupfer(I)-halogenid- und -trifluormethylsulfonat-Komplexen (G. Schmidt, N. Schittenhelm und U. Behrens), 49

Crystal structure
Organometallic compounds of the lanthanides. XCVII. Synthesis and crystal structures of monomeric bis(ethyltetramethylcyclopentadienyl) amide and alkyl derivatives of the lanthanides (H. Schumann, E.C.E. Rosenthal, G. Kociok-Köhn, G.A. Molander and J. Winterfeld), 233
Reaction of $[H_2Ru_3Rh(CO)_{12}]^-$ cluster anion with $AuPPh_3Cl$ and structural characterization of $AuHRh_2Ru_3(CO)_{13}(PPh_3)_2$ by X-ray diffraction and ^{31}P and ^1H NMR spectroscopy (H.J. Kakkonen, L. Tunkkari, M. Ahlgrèn, J. Pursiainen and T.A. Pakkanen), 93
Synthesis and X-ray structural investigation of triindenyl tetrahydrofuranato praseodymium (S. Wang, D. Kong, Z. Ye and X. Huang), 37
μ-Cyanoalkylidene complexes
Redox chemistry and substitution reactions of the μ-cyanoalkylidene complexes $[Fe_2(CO)_2(cp)_2(\mu\text{-CO})\{\mu\text{-C(CN)(X)}\}]^{n+}$ ($n = 0$, X = CN, H, Me, SMe, OMe, OEt, OPh, $OCH_2CH{=}CH_2$, PEt_2, or NC_5H_{10}; $n = 1$, X = PMe_2Ph) (S. Bordoni, L. Busetto, F. Calderoni, L. Carlucci, F. Laschi, P. Zanello and V. Zanotti), 27

Davy reagent
Reaction of η^4-ketene complexes of iron with a phosphorus–sulfur ylide (Davy reagent): Insertion of sulfur into a carbon–iron bond with formation of ferrathiolactones (A.C. Cano, R.A. Toscano, S. Bernès, O.G. Mellado, C. Alvarez-Toledano and H. Rudler), 153
Decarbonylation reactions
Synthese und Eigenschaften des Diferriosulfans $\{CpFe(CO)_2\}_2S$ und der Di- und Triferriosulf(ox)onium-Salze $[\{CpFe(CO)_2\}_2S(O)_nCl]$-Cl ($n = 0$, 1) und $[\{CpFe(CO)_2\}_3S]Cl$ (I.-P. Lorenz und K. Thurow), 191
Diferriosulphane
Synthese und Eigenschaften des Diferriosulfans $\{CpFe(CO)_2\}_2S$ und der Di- und Triferriosulf(ox)onium-Salze $[\{CpFe(CO)_2\}_2S(O)_nCl]$-Cl ($n = 0$, 1) und $[\{CpFe(CO)_2\}_3S]Cl$ (I.-P. Lorenz und K. Thurow), 191
Diferrocenylfluoromethane
Redox-responsive surfactants: synthesis of 1,1-diferrocenyl-*n*-alkanes (C_1, C_5, C_7, C_{19}) via reaction of (diferrocenyl)methyl carbocation with carbanions (B. Bildstein, P. Denifl and K. Wurst), 175
Diferrocenylmethylium carbocation
Redox-responsive surfactants: synthesis of 1,1-diferrocenyl-*n*-alkanes (C_1, C_5, C_7, C_{19}) via reaction of (diferrocenyl)methyl carbocation with carbanions (B. Bildstein, P. Denifl and K. Wurst), 175
1,1-Diferrocenyl-*n*-alkane
Redox-responsive surfactants: synthesis of 1,1-diferrocenyl-*n*-alkanes (C_1, C_5, C_7, C_{19}) via reaction of (diferrocenyl)methyl carbocation with carbanions (B. Bildstein, P. Denifl and K. Wurst), 175
Dithioimidodiphosphinato ligand
Synthesis, spectroscopic characterization and crystal and molecular structure of tetrakis(carbonyl)(tetraphenyldithioimidodiphosphinato)manganese(I), $Mn(CO)_4[(SPPh_2)_2N]$ (N. Zúñiga-Villarreal, C. Silvestru, M.R. Lezama, S. Hernández-Ortega and C.A. Toledano), 169
Diyne
Bis(triisopropylarsan)- und Bis(triisopropylstiban)-Rhodium(I)-Komplexe mit Isonitrilen, Olefinen, Alkinen und Diinen als Liganden (H. Werner, P. Schwab, A. Heinemann und P. Steinert), 207
Dynamics
Intermolecular and intramolecular coordination interactions in solutions of N-(dimethylchlorosilylmethyl)acetamides (V.V. Negrebetsky, V.V. Negrebetsky, A.G. Shipov, E.P. Kramarova and Y.I. Baukov), 103
Electrochemistry
Redox chemistry and substitution reactions of the μ-cyanoalkylidene complexes $[Fe_2(CO)_2(cp)_2(\mu\text{-CO})\{\mu\text{-C(CN)(X)}\}]^{n+}$ ($n = 0$, X = CN, H, Me, SMe, OMe, OEt, OPh, $OCH_2CH{=}CH_2$, PEt_2, or NC_5H_{10}; $n = 1$, X = PMe_2Ph) (S. Bordoni, L. Busetto, F. Calderoni, L. Carlucci, F. Laschi, P. Zanello and V. Zanotti), 27
EPR
Redox chemistry and substitution reactions of the μ-cyanoalkylidene complexes $[Fe_2(CO)_2(cp)_2(\mu\text{-CO})\{\mu\text{-C(CN)(X)}\}]^{n+}$ ($n = 0$, X = CN, H, Me, SMe, OMe, OEt, OPh, $OCH_2CH{=}CH_2$, PEt_2, or NC_5H_{10}; $n = 1$, X = PMe_2Ph) (S. Bordoni, L. Busetto, F. Calderoni, L. Carlucci, F. Laschi, P. Zanello and V. Zanotti), 27

Ferrathiolactones
Reaction of η^4-ketene complexes of iron with a phosphorus–sulfur ylide (Davy reagent): Insertion of sulfur into a carbon–iron bond with formation of ferrathiolactones (A.C. Cano, R.A. Toscano, S. Bernès, O.G. Mellado, C. Alvarez-Toledano and H. Rudler), 153
Ferrocene
Hochsubstituierte Decabenzylmetallocene: Synthese und Strukturaufklärung von Deca(4-acetylbenzyl)ferrocen $Fe[C_5(CH_2C_6H_4\text{-}C(O)CH_3)_5]_2$ (H. Schumann, K. Sühring und R. Weimann), C5
Friedel–Crafts-Acylation
Hochsubstituierte Decabenzylmetallocene: Synthese und Strukturaufklärung von Deca(4-acetylbenzyl)ferrocen $Fe[C_5(CH_2C_6H_4\text{-}C(O)CH_3)_5]_2$ (H. Schumann, K. Sühring und R. Weimann), C5
Gold
Reaction of $[H_2Ru_3Rh(CO)_{12}]^-$ cluster anion with $AuPPh_3Cl$ and structural characterization of $AuHRh_2Ru_3(CO)_{13}(PPh_3)_2$ by X-ray diffraction and ^{31}P and ^1H NMR spectroscopy (H.J. Kakkonen, L. Tunkkari, M. Ahlgrèn, J. Pursiainen and T.A. Pakkanen), 93
Gold(II)
Phosphoniodithioformate gold derivatives. Synthesis of tricationic gold(II) complexes (M. Bardají, A. Laguna and M. Laguna), 245
Group 14
Synthesis and spectroscopic investigations (IR, NMR and Mössbauer) of tin(IV) and organotin(IV) derivatives of bis(pyrazol-1-yl)alkanes: X-ray crystal structures of bis(4-methylpyrazol-1-yl)methane and its dimethyltin(IV) dichloride adduct (C. Pettinari, A. Lorenzotti, G. Sclavi, A. Cingolani, E. Rivarola, M. Colapietro and A. Cassetta), 69

Halide
Structural studies on aryl bismuth halides and halogenoanions. Part 4. Neutral Lewis base adducts of aryl bismuth dibromide and diaryl bismuth bromide compounds (C.J. Carmalt, A.H. Cowley, A. Decken and N.C. Norman), 59
Heterobimetallic complexes
Synthesis via amine elimination and characterization of new heterobimetallic complexes containing the (pentamethylcyclopentadienyl)titanium(IV) moiety (M. Galakhov, A. Martín, M. Mena and C. Yélamos), 217
Hydrogen activation
Activation d'hydrogène par des complexes arène–ruthénium en solution aqueuse. III. Synthèse de complexes hydrures hétérométalliques ruthénium–rhodium (G. Meister, G. Rheinwald, H. Stoeckli-Evans et G. Süss-Fink), 197
Hydrogenation catalyst
$HRh[P(OPh)_3]_4$ as a hydrogenation and isomerization catalyst (H.K.A.C. Coolen, R.J.M. Nolte and P.W.N.M. Van Leeuwen), 159
Hydrosilylation
Selective addition of hydrosilanes to 1,3-dienes catalyzed by polyamide-supported metal complex catalysts (Z.M. Michalska, B. Ostaszewski and K. Strzelec), 19

Hypervalence
Intermolecular and intramolecular coordination interactions in solutions of N-(dimethylchlorosilylmethyl)acetamides (V.V. Negrebetsky, V.V. Negrebetsky, A.G. Shipov, E.P. Kramarova and Y.I. Baukov), 103

Indenyl
Synthesis and X-ray structural investigation of triindenyl tetrahydrofuranato praseodymium (S. Wang, D. Kong, Z. Ye and X. Huang), 37
Indole platinacycles
Five- and six-membered indole-fused platinacycles (R. Annunziata, S. Cenini, F. Demartin, G. Palmisano and S. Tollari), C1
Infrared spectroscopy
Synthesis and spectroscopic investigations (IR, NMR and Mössbauer) of tin(IV) and organotin(IV) derivatives of bis(pyrazol-1-yl)alkanes: X-ray crystal structures of bis(4-methylpyrazol-1-yl)methane and its dimethyltin(IV) dichloride adduct (C. Pettinari, A. Lorenzotti, G. Sclavi, A. Cingolani, E. Rivarola, M. Colapietro and A. Cassetta), 69
Intermolecular coordination
Intermolecular and intramolecular coordination interactions in solutions of N-(dimethylchlorosilylmethyl)acetamides (V.V. Negrebetsky, V.V. Negrebetsky, A.G. Shipov, E.P. Kramarova and Y.I. Baukov), 103
Intramolecular coordination
Intermolecular and intramolecular coordination interactions in solutions of N-(dimethylchlorosilylmethyl)acetamides (V.V. Negrebetsky, V.V. Negrebetsky, A.G. Shipov, E.P. Kramarova and Y.I. Baukov), 103
Iron
Hochsubstituierte Decabenzylmetallocene: Synthese und Strukturaufklärung von Deca(4-acetylbenzyl)ferrocen $Fe[C_5(CH_2C_6H_4\text{-}C(O)CH_3)_5]_2$ (H. Schumann, K. Sühring und R. Weimann), C5
Molecular structure of iodo [1.1]ferrocenylruthenocenophanium$^+$ BF_4^- salt (M. Watanabe, I. Motoyama, T. Takayama, M. Shimoi and H. Sano), 87
Reaction of η^4-ketene complexes of iron with a phosphorus–sulfur ylide (Davy reagent): Insertion of sulfur into a carbon–iron bond with formation of ferrathiolactones (A.C. Cano, R.A. Toscano, S. Bernès, O.G. Mellado, C. Alvarez-Toledano and H. Rudler), 153
Redox chemistry and substitution reactions of the μ-cyanoalkylidene complexes $[Fe_2(CO)_2(cp)_2(\mu\text{-}CO)\{\mu\text{-}C(CN)(X)\}]^{n+}$ ($n = 0$, X = CN, H, Me, SMe, OMe, OEt, OPh, $OCH_2CH{=}CH_2$, PEt_2, or NC_5H_{10}; $n = 1$, X = PMe_2Ph) (S. Bordoni, L. Busetto, F. Calderoni, L. Carlucci, F. Laschi, P. Zanello and V. Zanotti), 27
Redox-responsive surfactants: synthesis of 1,1-diferrocenyl-*n*-alkanes (C_1, C_5, C_7, C_{19}) via reaction of (diferrocenyl)methyl carbocation with carbanions (B. Bildstein, P. Denifl and K. Wurst), 175
Synthese und Eigenschaften des Diferriosulfans $\{CpFe(CO)_2\}_2S$ und der Di- und Triferriosulf(ox)onium-Salze $[\{CpFe(CO)_2\}_2S(O)_nCl]$-Cl ($n = 0, 1$) und $[\{CpFe(CO)_2\}_3S]Cl$ (I.-P. Lorenz und K. Thurow), 191
Isocyanide
Bis(triisopropylarsan)- und Bis(triisopropylstiban)-Rhodium(I)-Komplexe mit Isonitrilen, Olefinen, Alkinen und Diinen als Liganden (H. Werner, P. Schwab, A. Heinemann und P. Steinert), 207
Isomerization catalyst
$HRh[P(OPh)_3]_4$ as a hydrogenation and isomerization catalyst (H.K.A.C. Coolen, R.J.M. Nolte and P.W.N.M. Van Leeuwen), 159
Isonitrile complexes
Isonitrile complexes of vanadium(II) (C. Böttcher, D. Rodewald and D. Rehder), 43

Ketene complexes
Reaction of η^4-ketene complexes of iron with a phosphorus–sulfur ylide (Davy reagent): Insertion of sulfur into a carbon–iron bond with formation of ferrathiolactones (A.C. Cano, R.A. Toscano, S. Bernès, O.G. Mellado, C. Alvarez-Toledano and H. Rudler), 153

Lutetium
Organometallic compounds of the lanthanides. XCVII. Synthesis and crystal structures of monomeric bis(ethyltetramethylcyclopentadienyl) amide and alkyl derivatives of the lanthanides (H. Schumann, E.C.E. Rosenthal, G. Kociok-Köhn, G.A. Molander and J. Winterfeld), 233

Manganese
Synthesis, spectroscopic characterization and crystal and molecular structure of tetrakis(carbonyl)(tetraphenyldithioimidodiphosphinato)manganese(I), $Mn(CO)_4[(SPPh_2)_2N]$ (N. Zúñiga-Villarreal, C. Silvestru, M.R. Lezama, S. Hernández-Ortega and C.A. Toledano), 169
Metal carbonyl
Synthesis, spectroscopic characterization and crystal and molecular structure of tetrakis(carbonyl)(tetraphenyldithioimidodiphosphinato)manganese(I), $Mn(CO)_4[(SPPh_2)_2N]$ (N. Zúñiga-Villarreal, C. Silvestru, M.R. Lezama, S. Hernández-Ortega and C.A. Toledano), 169
Metallated sulfanes
Synthese und Eigenschaften des Diferriosulfans $\{CpFe(CO)_2\}_2S$ und der Di- und Triferriosulf(ox)onium-Salze $[\{CpFe(CO)_2\}_2S(O)_nCl]$-Cl ($n = 0, 1$) und $[\{CpFe(CO)_2\}_3S]Cl$ (I.-P. Lorenz und K. Thurow), 191
Metallocenes
Molecular structure of iodo [1.1]ferrocenylruthenocenophanium$^+$ BF_4^- salt (M. Watanabe, I. Motoyama, T. Takayama, M. Shimoi and H. Sano), 87
Metal–metal bond
Synthesis via amine elimination and characterization of new heterobimetallic complexes containing the (pentamethylcyclopentadienyl)titanium(IV) moiety (M. Galakhov, A. Martín, M. Mena and C. Yélamos), 217
MO calculations
Transmission of electronic effects via a $SiMe_2$ spacer in 4-mono- and 4,4′-disubstituted diphenyldimethylsilanes: ^{29}Si and ^{13}C NMR spectroscopy and PM3 semi-empirical calculations (C.A. Van Walree, X.Y. Lauteslager, A.M.A. Van Wageningen, J.W. Zwikker and L.W. Jenneskens), 117
Multinuclear NMR
Intermolecular and intramolecular coordination interactions in solutions of N-(dimethylchlorosilylmethyl)acetamides (V.V. Negrebetsky, V.V. Negrebetsky, A.G. Shipov, E.P. Kramarova and Y.I. Baukov), 103

Neodymium
Organometallic compounds of the lanthanides. XCVII. Synthesis and crystal structures of monomeric bis(ethyltetramethylcyclopentadienyl) amide and alkyl derivatives of the lanthanides (H. Schumann, E.C.E. Rosenthal, G. Kociok-Köhn, G.A. Molander and J. Winterfeld), 233
Niobium
The chemistry of hydride, halide and alkyl niobocene complexes with coordinated diazoalkanes (D.A. Lemenovskii, G.I. Nikonov, G.P. Brusova, L.G. Kuzmina, E. Stankoviè and M. Putala), 227
Unprecedented formation of ethylene during the synthesis of a Nb–Rh bimetallic complex: molecular structure of $Cp'_2Nb(\mu\text{-}PPh_2)_2RhC_2H_4$ (G.I. Nikonov, D.A. Lemenovskii and L.G. Kuzmina), 187

NMR
Synthesis and spectroscopic investigations (IR, NMR and Mössbauer) of tin(IV) and organotin(IV) derivatives of bis(pyrazol-1-yl)alkanes: X-ray crystal structures of bis(4-methylpyrazol-1-yl)methane and its dimethyltin(IV) dichloride adduct (C. Pettinari, A. Lorenzotti, G. Sclavi, A. Cingolani, E. Rivarola, M. Colapietro and A. Cassetta), 69

Ortho-metallation
Five- and six-membered indole-fused platinacycles (R. Annunziata, S. Cenini, F. Demartin, G. Palmisano and S. Tollari), C1

Oxidative addition
Palladium(0)-catalyzed carbonylation of aryl and alkenyl boronic acids with carbon monoxide leading to esters and ketones. Transformation of a C–B bond to a C–CO bond (C.S. Cho, T. Ohe and S. Uemura), 221

Palladium
Palladium(0)-catalyzed carbonylation of aryl and alkenyl boronic acids with carbon monoxide leading to esters and ketones. Transformation of a C–B bond to a C–CO bond (C.S. Cho, T. Ohe and S. Uemura), 221
Selective addition of hydrosilanes to 1,3-dienes catalyzed by polyamide-supported metal complex catalysts (Z.M. Michalska, B. Ostaszewski and K. Strzelec), 19
Ternary complexes of palladium(II) containing (Te,S) and (Te,N) hybrid organotellurium ligands: synthesis, spectra and cis–trans isomeric conversion (R. Batheja, S.K. Dhingra and A.K. Singh), 99

Platinum
Five- and six-membered indole-fused platinacycles (R. Annunziata, S. Cenini, F. Demartin, G. Palmisano and S. Tollari), C1
Selective addition of hydrosilanes to 1,3-dienes catalyzed by polyamide-supported metal complex catalysts (Z.M. Michalska, B. Ostaszewski and K. Strzelec), 19

Polymer-supported catalysis
Selective addition of hydrosilanes to 1,3-dienes catalyzed by polyamide-supported metal complex catalysts (Z.M. Michalska, B. Ostaszewski and K. Strzelec), 19

Praseodymium
Synthesis and X-ray structural investigation of triindenyl tetrahydrofuranato praseodymium (S. Wang, D. Kong, Z. Ye and X. Huang), 37

Preparation
Phosphoniodithioformate gold derivatives. Synthesis of tricationic gold(II) complexes (M. Bardají, A. Laguna and M. Laguna), 245

Pyrazole
Synthesis and spectroscopic investigations (IR, NMR and Mössbauer) of tin(IV) and organotin(IV) derivatives of bis(pyrazol-1-yl)alkanes: X-ray crystal structures of bis(4-methylpyrazol-1-yl)methane and its dimethyltin(IV) dichloride adduct (C. Pettinari, A. Lorenzotti, G. Sclavi, A. Cingolani, E. Rivarola, M. Colapietro and A. Cassetta), 69

Redox reactions
Redox chemistry and substitution reactions of the μ-cyanoalkylidene complexes $[Fe_2(CO)_2(cp)_2(\mu\text{-}CO)\{\mu\text{-}C(CN)(X)\}]^{n+}$ ($n = 0$, X = CN, H, Me, SMe, OMe, OEt, OPh, $OCH_2CH{=}CH_2$, PEt_2, or NC_5H_{10}; $n = 1$, X = PMe_2Ph) (S. Bordoni, L. Busetto, F. Calderoni, L. Carlucci, F. Laschi, P. Zanello and V. Zanotti), 27

Rhodium
Activation d'hydrogène par des complexes arène–ruthénium en solution aqueuse. III. Synthèse de complexes hydrures hétérométalliques ruthénium–rhodium (G. Meister, G. Rheinwald, H. Stoeckli-Evans et G. Süss-Fink), 197
Bis(triisopropylarsan)- und Bis(triisopropylstiban)-Rhodium(I)-Komplexe mit Isonitrilen, Olefinen, Alkinen und Diinen als Liganden (H. Werner, P. Schwab, A. Heinemann und P. Steinert), 207
$HRh[P(OPh)_3]_4$ as a hydrogenation and isomerization catalyst (H.K.A.C. Coolen, R.J.M. Nolte and P.W.N.M. Van Leeuwen), 159
Reaction of $[H_2Ru_3Rh(CO)_{12}]^-$ cluster anion with $AuPPh_3Cl$ and structural characterization of $AuHRh_2Ru_3(CO)_{13}(PPh_3)_2$ by X-ray diffraction and ^{31}P and ^1H NMR spectroscopy (H.J. Kakkonen, L. Tunkkari, M. Ahlgrèn, J. Pursiainen and T.A. Pakkanen), 93
Selective addition of hydrosilanes to 1,3-dienes catalyzed by polyamide-supported metal complex catalysts (Z.M. Michalska, B. Ostaszewski and K. Strzelec), 19
Unprecedented formation of ethylene during the synthesis of a Nb–Rh bimetallic complex: molecular structure of $Cp'_2Nb(\mu\text{-}PPh_2)_2RhC_2H_4$ (G.I. Nikonov, D.A. Lemenovskii and L.G. Kuzmina), 187

Ruthenium
Activation d'hydrogène par des complexes arène–ruthénium en solution aqueuse. III. Synthèse de complexes hydrures hétérométalliques ruthénium–rhodium (G. Meister, G. Rheinwald, H. Stoeckli-Evans et G. Süss-Fink), 197
Molecular structure of iodo [1.1]ferrocenylruthenocenophanium$^+$ BF_4^- salt (M. Watanabe, I. Motoyama, T. Takayama, M. Shimoi and H. Sano), 87
Reaction of $[H_2Ru_3Rh(CO)_{12}]^-$ cluster anion with $AuPPh_3Cl$ and structural characterization of $AuHRh_2Ru_3(CO)_{13}(PPh_3)_2$ by X-ray diffraction and ^{31}P and ^1H NMR spectroscopy (H.J. Kakkonen, L. Tunkkari, M. Ahlgrèn, J. Pursiainen and T.A. Pakkanen), 93
Syntheses and characterization of diruthenium(III) alkyl–alkyl and alkyl–alkynyl complexes with two bridging thiolate ligands $[Cp^*RuR(\mu\text{-}SPr^i)_2RuCp^*R']$ ($Cp^* = \eta^5\text{-}C_5Me_5$). X-ray structure of $[Cp^*Ru(CH_2CH_2Ph)(\mu\text{-}SPr^i)_2RuCp^*(CH_2CH_2Ph)]$ (A. Takahashi, Y. Mizobe, T. Tanase and M. Hidai), 109
Synthesis via amine elimination and characterization of new heterobimetallic complexes containing the (pentamethylcyclopentadienyl)titanium(IV) moiety (M. Galakhov, A. Martín, M. Mena and C. Yélamos), 217

Samarium
Organometallic compounds of the lanthanides. XCVII. Synthesis and crystal structures of monomeric bis(ethyltetramethylcyclopentadienyl) amide and alkyl derivatives of the lanthanides (H. Schumann, E.C.E. Rosenthal, G. Kociok-Köhn, G.A. Molander and J. Winterfeld), 233

Silicon
Intermolecular and intramolecular coordination interactions in solutions of N-(dimethylchlorosilylmethyl)acetamides (V.V. Negrebetsky, V.V. Negrebetsky, A.G. Shipov, E.P. Kramarova and Y.I. Baukov), 103
Transmission of electronic effects via a $SiMe_2$ spacer in 4-mono- and 4,4′-disubstituted diphenyldimethylsilanes: ^{29}Si and ^{13}C NMR spectroscopy and PM3 semi-empirical calculations (C.A. Van Walree, X.Y. Lauteslager, A.M.A. Van Wageningen, J.W. Zwikker and L.W. Jenneskens), 117

^{29}Si NMR
Transmission of electronic effects via a $SiMe_2$ spacer in 4-mono- and 4,4′-disubstituted diphenyldimethylsilanes: ^{29}Si and ^{13}C NMR spectroscopy and PM3 semi-empirical calculations (C.A. Van Walree, X.Y. Lauteslager, A.M.A. Van Wageningen, J.W. Zwikker and L.W. Jenneskens), 117

S-oxidation
Synthese und Eigenschaften des Diferriosulfans $\{CpFe(CO)_2\}_2S$ und der Di- und Triferriosulf(ox)onium-Salze $[\{CpFe(CO)_2\}_2S(O)_nCl]$-Cl ($n = 0, 1$) und $[\{CpFe(CO)_2\}_3S]Cl$ (I.-P. Lorenz und K. Thurow), 191
Structure
Metallorganische Verbindungen des Kupfers. VIII. Untersuchungen über die Koordinationschemie von heteroatomverbrückten Bisalkinen am Beispiel von Kupfer(I)-halogenid- und -trifluormethylsulfonat-Komplexen (G. Schmidt, N. Schittenhelm und U. Behrens), 49
Structures
Structural studies on aryl bismuth halides and halogenoanions. Part 4. Neutral Lewis base adducts of aryl bismuth dibromide and diaryl bismuth bromide compounds (C.J. Carmalt, A.H. Cowley, A. Decken and N.C. Norman), 59
Substituent effects
Transmission of electronic effects via a $SiMe_2$ spacer in 4-mono- and 4,4′-disubstituted diphenyldimethylsilanes: ^{29}Si and ^{13}C NMR spectroscopy and PM3 semi-empirical calculations (C.A. Van Walree, X.Y. Lauteslager, A.M.A. Van Wageningen, J.W. Zwikker and L.W. Jenneskens), 117
Substitution reactions
Redox chemistry and substitution reactions of the μ-cyanoalkylidene complexes $[Fe_2(CO)_2(cp)_2(\mu\text{-}CO)\{\mu\text{-}C(CN)(X)\}]^{n+}$ ($n = 0$, X = CN, H, Me, SMe, OMe, OEt, OPh, $OCH_2CH{=}CH_2$, PEt_2, or NC_5H_{10}; $n = 1$, X = PMe_2Ph) (S. Bordoni, L. Busetto, F. Calderoni, L. Carlucci, F. Laschi, P. Zanello and V. Zanotti), 27
Sulfur
Ternary complexes of palladium(II) containing (Te,S) and (Te,N) hybrid organotellurium ligands: synthesis, spectra and cis–trans isomeric conversion (R. Batheja, S.K. Dhingra and A.K. Singh), 99
Sulfur and sulfur dioxide complexes
Synthese und Eigenschaften des Diferriosulfans $\{CpFe(CO)_2\}_2S$ und der Di- und Triferriosulf(ox)onium-Salze $[\{CpFe(CO)_2\}_2S(O)_nCl]$-Cl ($n = 0, 1$) und $[\{CpFe(CO)_2\}_3S]Cl$ (I.-P. Lorenz und K. Thurow), 191
Surfactants
Redox-responsive surfactants: synthesis of 1,1-diferrocenyl-*n*-alkanes (C_1, C_5, C_7, C_{19}) via reaction of (diferrocenyl)methyl carbocation with carbanions (B. Bildstein, P. Denifl and K. Wurst), 175
Synthesis
Structural studies on aryl bismuth halides and halogenoanions. Part 4. Neutral Lewis base adducts of aryl bismuth dibromide and diaryl bismuth bromide compounds (C.J. Carmalt, A.H. Cowley, A. Decken and N.C. Norman), 59

Tellurium
Ternary complexes of palladium(II) containing (Te,S) and (Te,N) hybrid organotellurium ligands: synthesis, spectra and cis–trans isomeric conversion (R. Batheja, S.K. Dhingra and A.K. Singh), 99
Tetrakis(trimethylstannyl)methane
Die Kristall- und Molekülstruktur von Tetrakis(trimethylstannyl)-methan (K.W. Klinkhammer, S. Kühner, B. Regelmann und J. Weidlein), 241
Thiolate
Syntheses and characterization of diruthenium(III) alkyl–alkyl and alkyl–alkynyl complexes with two bridging thiolate ligands $[Cp^*RuR(\mu\text{-}SPr^i)_2RuCp^*R']$ ($Cp^* = \eta^5\text{-}C_5Me_5$). X-ray structure of $[Cp^*Ru(CH_2CH_2Ph)(\mu\text{-}SPr^i)_2RuCp^*(CH_2CH_2Ph)]$ (A. Takahashi, Y. Mizobe, T. Tanase and M. Hidai), 109
Tin
Die Kristall- und Molekülstruktur von Tetrakis(trimethylstannyl)-methan (K.W. Klinkhammer, S. Kühner, B. Regelmann und J. Weidlein), 241
Synthesis and spectroscopic investigations (IR, NMR and Mössbauer) of tin(IV) and organotin(IV) derivatives of bis(pyrazol-1-yl)alkanes: X-ray crystal structures of bis(4-methylpyrazol-1-yl)methane and its dimethyltin(IV) dichloride adduct (C. Pettinari, A. Lorenzotti, G. Sclavi, A. Cingolani, E. Rivarola, M. Colapietro and A. Cassetta), 69
Titanium
Synthesis via amine elimination and characterization of new heterobimetallic complexes containing the (pentamethylcyclopentadienyl)titanium(IV) moiety (M. Galakhov, A. Martín, M. Mena and C. Yélamos), 217
Trialkylarsane
Bis(triisopropylarsan)- und Bis(triisopropylstiban)-Rhodium(I)-Komplexe mit Isonitrilen, Olefinen, Alkinen und Diinen als Liganden (H. Werner, P. Schwab, A. Heinemann und P. Steinert), 207
Trialkylstibane
Bis(triisopropylarsan)- und Bis(triisopropylstiban)-Rhodium(I)-Komplexe mit Isonitrilen, Olefinen, Alkinen und Diinen als Liganden (H. Werner, P. Schwab, A. Heinemann und P. Steinert), 207
Tricationic, dinuclear complexes
Phosphoniodithioformate gold derivatives. Synthesis of tricationic gold(II) complexes (M. Bardají, A. Laguna and M. Laguna), 245

Vanadium halides
Isonitrile complexes of vanadium(II) (C. Böttcher, D. Rodewald and D. Rehder), 43

X-ray diffraction
Die Kristall- und Molekülstruktur von Tetrakis(trimethylstannyl)-methan (K.W. Klinkhammer, S. Kühner, B. Regelmann und J. Weidlein), 241
Redox-responsive surfactants: synthesis of 1,1-diferrocenyl-*n*-alkanes (C_1, C_5, C_7, C_{19}) via reaction of (diferrocenyl)methyl carbocation with carbanions (B. Bildstein, P. Denifl and K. Wurst), 175
X-ray structure
Five- and six-membered indole-fused platinacycles (R. Annunziata, S. Cenini, F. Demartin, G. Palmisano and S. Tollari), C1
Reaction of aminocarbene complexes of chromium with alkynes. IV. New transformations of the nitrogen ylide complexes derived therefrom (C. Bouancheau, M. Rudler, E. Chelain, H. Rudler, J. Vaissermann and J.-C. Daran), 127
Syntheses and characterization of diruthenium(III) alkyl–alkyl and alkyl–alkynyl complexes with two bridging thiolate ligands $[Cp^*RuR(\mu\text{-}SPr^i)_2RuCp^*R']$ ($Cp^* = \eta^5\text{-}C_5Me_5$). X-ray structure of $[Cp^*Ru(CH_2CH_2Ph)(\mu\text{-}SPr^i)_2RuCp^*(CH_2CH_2Ph)]$ (A. Takahashi, Y. Mizobe, T. Tanase and M. Hidai), 109
Synthesis and spectroscopic investigations (IR, NMR and Mössbauer) of tin(IV) and organotin(IV) derivatives of bis(pyrazol-1-yl)alkanes: X-ray crystal structures of bis(4-methylpyrazol-1-yl)methane and its dimethyltin(IV) dichloride adduct (C. Pettinari, A. Lorenzotti, G. Sclavi, A. Cingolani, E. Rivarola, M. Colapietro and A. Cassetta), 69

Ylide
Phosphoniodithioformate gold derivatives. Synthesis of tricationic gold(II) complexes (M. Bardají, A. Laguna and M. Laguna), 245

Ylides
Reaction of η^4-ketene complexes of iron with a phosphorus–sulfur ylide (Davy reagent): Insertion of sulfur into a carbon–iron bond with formation of ferrathiolactones (A.C. Cano, R.A. Toscano, S. Bernès, O.G. Mellado, C. Alvarez-Toledano and H. Rudler), 153

Yttrium
Organometallic compounds of the lanthanides. XCVII. Synthesis and crystal structures of monomeric bis(ethyltetramethylcyclopentadienyl) amide and alkyl derivatives of the lanthanides (H. Schumann, E.C.E. Rosenthal, G. Kociok-Köhn, G.A. Molander and J. Winterfeld), 233